Deck Floor Rolling Production Line

The advantages of floor deck making machine

1. Our machines can uses galvanized steel sheet, colored armor plate or aluminum plate as the material plate.

2. Controlling by computer, PLC display, operation is easy, running is steady and reliable, endurable, maintenance-free.

3. We can make and design will kinds of roll forming machine according to customer's request. Sales Service:


1.we provide technical support for the whole life of our machines.

2. If buyers need the technician to go abroad, we will arrange the technician, but the buyers should take all the cost, inculding visa, roundtrip ticket, etc.

The main technical parameters of Deck Floor Rolling Production Line

| Main Frame | | welded with 450H steel | |
|--|--|------------------------|--|
| Middle plate | | 18mm | |
| Forming machine guide feeding frame form | side rol | ler type | |
| Forming machine form | wall plate chain drive | | |
| Shaft diameter | 🛛 95 mm | | |
| Chain size | 1.5 inches (Brand "Zhenghe" Imported Japan sprocket) | | |
| Roll forming machine motor power | 2-15KW (Brand Siemens) | | |
| Roll forming speed | 8-12m/min | | |
| Rollers number | 27Rows | | |
| Rolling material | high grade 45# forging steel with chromium plate | | |
| Hard chrome plating on the roll surface | 0.03 | mm | |
| Hydraulic pump motor | 4KW (Lichao, Shanghai) | | |
| Hydraulic station oil pump | gear p | oump | |
| Cutting method | connecting rod three-l | nife hydraulic cutting | |
| The material of | Cr | 12 | |
| the cutting blade | | | |
| Cutting blade heat | quenched treat | ment 58°C-62°C | |
| treatment | 0.7-1. | | |
| Rolling raw materials | 0.7-1. | 211111 | |
| thickness | | | |
| Length Tolerance | ± 2r | nm | |
| Electric control | inverter (anchuan), PLC (Panaso | | |
| box configuration | electrical components | | |
| Deck Floor Rolling Production Line workflow | | | |

Deck Floor Rolling Production Line workflow



Deck Floor Rolling Production Line details



Application of decking floor tiles

Floor decking board products are widely used in power plants, power equipment companies, automobile exhibition halls, steel structure workshops, cement warehouses, steel structure offices, airport terminals, railway stations, stadiums, concert halls, grand theaters, large supermarkets, logistics centers, steel structures such as Olympic venues and stadiums.


Deck Floor Rolling Production Line Packaging & Shipping

- 1. Main roll forming machine package by Plastic film ;
- 2. Main machine spare parts package by paper box ;
- 3. We have professional technicians for loading

Guaranteed the goods load into container without any damage.

4.Transportation: Machines need one 40 feet container to hold;

5. Please provide us the nearest port name, we will ask shipping cost and arrange to ship for you.



Our Services

- a. 18 months warranty period, we will offer technical support for the whole life.
- b. Engineer available to install machine and train your workers overseas.
- c. 24hours open for you, any need and questions, we will reply to you as soon as possible.

Product link : <u>https://www.toprollformingmachine.com/?p=314942</u>