


Automatic Ceiling T Grid Machinery

Automatic Ceiling T Grid Machinery Forming Device Technical Parameter

Name	Specification	
Rollers for forming	16 Rows	
Roller material	Cr12	
roller inner diameter	Φ40mm	
roller outer diameter		minΦ90mm
heat treatment hardness	HRC58-62	
Symmetry	≤ 0.05	
Motor power	3kw	
Transmission mode	chain drive + gear transmission	
Side plate thickness	25mm	
Shaft material	45# steel	
Feeding positioning	Manual positioning, flexible adjustment at both ends	
Control system	PLC programming controller, with the touch screen automatic control system	
Stamp Die material	SKD11	
Stamp Die heat treatment hardness	HRC56-58	

Machine details

Machine details



Automatic Ceiling T Grid Machinery's out table uses Stainless operation table, bottom base is welded with iron plate.

Packaging details

- 1). Tighten to container with steel wire rope and welded machine with container by angel iron;
- 2). Main forming machine and un-coiler is naked(If you need we can also pack with water-proof plastic) ;
- 3). PLC control system and motor pump are packed in a box with waterproof paper coverage.

FAQ

1)Q: Do you have after-sales support?

A: Yes, we are happy to give advice and we also have skilled technicians available across the world. We need your machines running in order to keep your business running.

2) Q: How do your machines compare with other big companies in this market?

A: We are up to date with the latest technology and improve our machines accordingly

3)Q: How does your factory do regarding quality control?

A: Quality is the priority. we always attach great importance to quality control from the very beginning to the end of the production. Every product will be fully assembled and carefully tested before it's packed for shipment.

4) Q: Do you sell only standard machines?

A: No, most of our machines are built according to customers specifications, using top brand name components.

Product link : <https://www.toprollformingmachine.com/?p=330025>