Discount Price Portable Metal Roofing Roll Forming Machine/curve Machine/roof Tiles Machine South Africa

Our primary goal is to offer our clients a serious and responsible business relationship, providing personalized attention to all of them for Discount Price Portable Metal Roofing Roll Forming Machine/curve Machine/roof Tiles Machine South Africa, Our tenet is "Reasonable prices, efficient production time and best service" We hope to cooperate with more customers for mutual development and benefits.


Our primary goal is to offer our clients a serious and responsible business relationship, providing personalized attention to all of them for <u>Curve Machine</u>, <u>Portable Metal Roofing Roll Forming Machine</u>, <u>Roof Tiles Machine South Africa</u>, Customer satisfaction is our goal. We're looking forward to cooperating with you and providing our best services in your case. We warmly welcome you to contact us and remember to feel free to contact us. Browse our online showroom to see what we can do for yourself. And then E-mail us your specifications or inquiries today.

The tiles pressed out by the glazed roofing tile roll forming machine are very beautiful, and the technical parameters of the machine are as follows:

| 1 | Main motor power | 4kW, 3-phase or as your requests |
|--|-----------------------|---|
| 2 | Hydraulic motor power | 3kW |
| 3 | Hydraulic pressure | 10-12MPa |
| 4 | Voltage | 380V/3-phase/50Hz (or as your requirements) |
| 5 | Control system | PLC delta inverter |
| 6 | Mainframe | 300/350mm H-beam or 350mm |
| 7 | Backboard thickness | 16mm |
| 8 | Chain size | 1 Inch |
| 9 | Feeding material | color steel coils |
| 10 | Feeding thickness | 0.3-0.8mm |
| 11 | Feeding width | 1000mm |
| 12 | Effective width | 836mm |
| 13 | Productivity | 0-15/min |
| 14 | Roll station | 13 roll steps (according to different design) |
| 15 | Roller diameter | 70mm (depends on different design) |
| 16 | Roller material | 45# steel |
| 17 | Cutter material | Cr12 |
| 18 | Cr-plating size | 0.05mm |
| 19 | Overall size | 6800*1400*1150mm |
| 20 | Total weight | 4.8 tons |
| Clazed reafing tile roll forming machine components include: Manual un soiler Guiding pl | | |

Glazed roofing tile roll forming machine components include: Manual un-coiler, Guiding platform, Coil strip leveler, Main machine of roll forming, Electric-motor, Cutting device, Hydraulic station, PLC control and Supporter table.

Machine Details:



Packaging Details:

- 1. Machine is covered by plastic film.
- 2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Product link: https://www.toprollformingmachine.com/?p=343283