## 2019 Latest Design Steel Profile Glazed Tile Ibr Corrugated Double Layer Roof Panel Cold Roll Forming Machine

Sticking to your principle of "Super Good quality, Satisfactory service" ,We are striving to get a fantastic business enterprise partner of you for 2019 Latest Design Steel Profile Glazed Tile Ibr Corrugated Double Layer Roof Panel Cold Roll Forming Machine, We can customize the products according to your requirements and we can pack it for you when you order. Sticking to your principle of "Super Good quality, Satisfactory service" ,We are striving to get a fantastic business enterprise partner of you for <u>Roof Panel Cold Roll Forming Machine, Russian Profile Roof Panel Roll Forming Machine, Steel Profile Glazed Tile,</u> Our expert engineering team will generally be prepared to serve you for consultation and feedback. We are able to also offer you with free of charge samples to meet your requirements. Best efforts will likely be produced to provide you the best service and merchandise. When you are keen on our business and products, please speak to us by sending us emails or call us quickly. In an effort to know our products and company extra, you may come to our factory to view it. We will generally welcome guests from all over the world to our business to create business relations with us. Please feel cost-free to speak to us for small business and we believe we'll share the best trading experience with all our merchants. Parameters of steel double layer roll forming machine

1	Main motor power	4kW, 3-phase or as your requests
2	Hydraulic motor power	3kW
3	Hydraulic pressure	10-12MPa
4	Voltage	380V/3-phase/50Hz (or as your requirements)
5	Control system	PLC delta inverter
6	Mainframe	300/350mm H-beam or 350mm
7	Backboard thickness	16mm
8	Chain size	1 Inch
9	Feeding material	color steel coils
10	Feeding thickness	0.3-0.8mm
11	Feeding width	1000mm
12	Effective width	840mm, 850mm
13	Productivity	0-15/min
14	Roll station	13 roll steps (according to different design)
15	Roller diameter	70mm (depends on different design)
16	Roller material	45# steel
17	Cutter material	Cr12
18	Cr-plating size	0.05mm
19	Overall size	6800*1400*1150mm
20	Total weight	4.8 tons
Tormer		


Terms:

1. Delivery: within 60 days after receiving the deposit.

2. Package: export standard package for container.

3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

We are committed to research and develop this industry for more than 20 years, and our productions are widely used in gardens, factories, resorts, hotels, exhibition halls, vacation lands, ancient



architectures and modern villas.

Product link : <u>https://www.toprollformingmachine.com/?p=343285</u>