## 100% Original Factory Metal Stone Coated Zinc Roof Tile Sheet Making Forming Machine

We'll make each hard work to become excellent and excellent, and speed up our measures for standing from the rank of intercontinental top-grade and high-tech enterprises for 100% Original Factory Metal Stone Coated Zinc Roof Tile Sheet Making Forming Machine, We honor our core principal of Honesty in business, priority in company and will do our greatest to provide our customers with high-quality goods and fantastic provider.

We'll make each hard work to become excellent and excellent, and speed up our measures for standing from the rank of intercontinental top-grade and high-tech enterprises for <a href="Metal Stone">Metal Stone</a> <a href="Metal Stone">Coated Roof Machine</a>, <a href="Stone Coated Roof Tile Making Machine">Stone Coated Zinc Roof Sheet Machine</a>, <a href="Although continuous opportunity">Although continuous opportunity</a>, we have now now developed serious a friendly relationship with many oversea merchants, such as ones through Virginia. We securely assume that the merchandise regarding t shirt printer machine is often good through a great number of having its good quality and also cost.

Our Steel Colored Stone Coated Production Line meets the diverse requirements of our customers.

The Steel Colored Stone Coated Production Line is described in detail as follows:

NO. 1 Auto bottom glue spraying section

| Appearance size                | 4000*1000*2000mm                                       |
|--------------------------------|--|
| Driving section                | 3KW Excitation motor or frequency speed regulation (AS |
|                                | per customers' requirements)                           |
| Automatic pressure spray tank  | 1set; Capability:200kg; Range:0.6~1Mpa                 |
| Automatic glue machine motor   | Servo motor; Power:750w; PLC                           |
| Automatic spray gun            | 4 set (spare parts)                                    |
| Dust collecting fan            | 1 set; Power: 200w                                     |
| Damp proof lamp                | 1 pcs; Power: 100w                                     |
| Conveying device               | Chain reciprocating                                    |
| Air compressor                 | 1 set; Power: 7.5kw                                    |
| Dust control of axial flow fan | 1 set; Power: 200w                                     |
| Agitator                       | 1 set; Power: 1.5kw                                    |

NO. 2 Auto stone coated section

| Appearance size       | 3500*1000*1500mm         |
|-----------------------|--------------------------|
| Framework             | Steel welding            |
| Conveying device      | Chain reciprocating      |
| Automatic sand hopper | 1 set; Capability: 200kg |
| Bucket lift           | 1 set                    |
| Manual sandblast gun  | 4 sets                   |

NO. 3 The first time drying section

| Appearance size                    | 25000*1000*1200mm               |
|------------------------------------|---------------------------------|
| Framework                          | Steel welding                   |
| Frame type thermal insulation wall | 1.2mm cold steel with Rock wool |
| Automatic temperature controller   | 4 sets; Range: 0°~160°          |
| Infrared heating tube              | 30pcs; Power: 30kw              |
| Conveying device                   | Chain reciprocating             |
|                                    |                                 |

| Air cooling device | 1 set; Power: 200w |
|--------------------|--------------------|
|                    |                    |

## NO. 4 Auto face glue spraying section

| Appearance size                | 3000*1000*2000mm                          |
|--------------------------------|---|
| Framework                      | Steel welding                             |
| Damp proof lamp                | 1 pcs; Power:100w                         |
| Automatic pressure spray tank  | 1 set; Capability: 200kg; Range: 0.6~1Mpa |
| Conveying device               | Chain reciprocating                       |
| Automatic spray gun            | 4 sets (spare parts)                      |
| Manual patch glue gun          | 4 sets                                    |
| Dust control of axial flow fan | 1 set; Power: 200w                        |
| Automatic glue machine motor   | Servo motor; Power: 750w                  |

NO. 5 The second time drying section

| Appearance size                    | 30000*1000*1200mm               |
|------------------------------------|---------------------------------|
| Framework                          | Steel welding                   |
| Frame type thermal insulation wall | 1.2mm cold steel with Rock wool |
| Automatic temperature controller   | 4 sets; Range: 0°~160°          |
| Infrared heating tube              | 30pcs; Power: 30kw              |
| Conveying device                   | Chain reciprocating             |
| Air cooling device                 | 1 set; Power: 200w              |

Machine Photos :



## Packaging Details:

- 1. Machine is covered by plastic film.
- 2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Product link: <a href="https://www.toprollformingmachine.com/?p=352758">https://www.toprollformingmachine.com/?p=352758</a>