
Best Price for Hydraulic Plate Press Brake Metal Sheet Bending Machine For Sale Malaysia

Our well-equipped facilities and great excellent command throughout all stages of generation enables us to guarantee total customer fulfillment for Best Price for Hydraulic Plate Press Brake Metal Sheet Bending Machine For Sale Malaysia, Our skilled complex workforce is going to be wholeheartedly at your assistance. We sincerely welcome you to definitely pay a visit to our site and firm and deliver us your inquiry.

Our well-equipped facilities and great excellent command throughout all stages of generation enables us to guarantee total customer fulfillment for [Bending Machine](#), [Bending Machine For Sale Malaysia](#), [Sheet Bending Machine](#), With a team of experienced and knowledgeable personnel, our market covers South America, the USA, the Mid East, and North Africa. Many customers have become our friends after good cooperation with us. If you have the requirement for any of our solutions, please contact us now. We are looking forward to hearing from you soon.

| 4 meters hydraulic roof sheet bending machine parameters | | |
|--|-------------------------|---|
| 1 | Cutting &Hydraulic type | Double guide pillar |
| 2 | Hydraulic motor power | 3kw |
| 3 | Hydraulic Pressure | 10-12MPa |
| 4 | Voltage | 380V/3phase/50 HZ(or as your requirement) |
| 5 | Cutting drive | Decelerating motor+ Chain drive gear all by high-frequency |
| 6 | Control System | Panasonic PLC |
| 8 | Bending degree | 0-90 |
| 9 | Operating mode | Button+ Mitsubishi |
| 10 | Main Frame | 300mm/350mm H-Beam or 350mm |
| 11 | Backboard Thickness | 17mm |
| 12 | Feeding Material | GI/PPGI/PPGL |
| 14 | Feeding Thickness | 0.2-0.8mm |
| 15 | Feeding Width | 1-4m |
| 16 | Effective width | 1-4mm |
| 17 | Productivity | 0-60times/min |
| 20 | Roller material | 45# steel |
| 21 | Cutter material | Cr12 mould steel heat-treated hardness of HRC = 60-62 degrees |
| 22 | Brand Square | A3 35mm thick plate arch |
| 22 | Cr-Plating Size | 0.05mm |
| 23 | Overall Size | 4300*1200*2100mm |
| 24 | Total Weight | 1.8T |

Machine photos



Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <https://www.toprollformingmachine.com/?p=356139>