Well-designed Standing Seam Metal Roof Panel Self Lock Roof Sheet Roll Forming Machine

"Based on domestic market and expand abroad business" is our improvement strategy for Well-designed Standing Seam Metal Roof Panel Self Lock Roof Sheet Roll Forming Machine, The principle of our company is to provide high-quality products, professional service, and honest communication. Welcome all friends to place trial order for creating a long-term business relationship.

"Based on domestic market and expand abroad business" is our improvement strategy for <u>Self Lock Roof Machine</u>, <u>Standing Seam Line</u>, <u>Standing Seam Roofing Equipment</u>, By integrating manufacturing with foreign trade sectors, we can provide total customer solutions by guaranteeing the delivery of right goods to the right place at the right time, which is supported by our abundant experiences, powerful production capability, consistent quality, diversified product portfolios and the control of the industry trend as well as our mature before and after sales services. We'd like to share our ideas with you and welcome your comments and questions.

The standing seam metal roof machine adopts PLC control, AC frequency and adjusting the speed technology, and it realizes the continuous automatically production.

Parameters of standing seam metal roof machine:

| 1 | Thickness | 0.3-0.8mm |
|----|---|--|
| 2 | Coli material | GI |
| 3 | The bearing capacity of manual decoiler | 6.5 tons |
| 4 | shaft material | 45#steel |
| 5 | Out diameter | Customized |
| 6 | numbers of forming steps | Customized |
| 7 | transmission | chain transmission |
| 8 | Forming speed | 8-12m/min |
| 9 | main motor power | 3kw |
| 10 | voltage | 380V50HZ Three-phase or as required |
| 11 | dimension | 7*1.3*1.3 |
| 12 | cutting | hydraulic cutting |
| 13 | blade material | Cr12 steel with quenched treated 60°C-62°C |
| 14 | control system | PLC(Delta) |
| 15 | length tolerance | ±1mm |

Machine photos:



Terms:

- 1. Delivery: within 60 days after receiving the deposit
- 2. Package: export standard package for container
- 3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link: https://www.toprollformingmachine.com/?p=357393