
Wholesale ODM Pressure Polyurethane Spray Foam Machine

We try for excellence, services the customers", hopes to become the ideal cooperation team and dominator company for staff, suppliers and buyers, realizes value share and continuous marketing for Wholesale ODM Pressure Polyurethane Spray Foam Machine, For further queries or should you have any question regarding our products, please do not hesitate to contact us.

We try for excellence, services the customers", hopes to become the ideal cooperation team and dominator company for staff, suppliers and buyers, realizes value share and continuous marketing for [Polyurethane Foam Making Machine](#), [Polyurethane Spray Foam Machine](#), [Pu Foam Machine](#), As an experienced manufacturer we also accept customized order and we could make it the same as your picture or sample specification. The main goal of our company is to live a satisfactory memory to all the customers, and establish a long term business relationship with buyers and users all over the world.

PU Sandwich panel as a kind of construction material is widely used in construction, heat preservation, packaging, frozen, daily necessities, industrial casting, etc.

It can also be used to display the assembly places, commodity cabinet, signs and toys manufacture.

PU Sandwich Roof Roll Forming Machine parameters		
1	Equipment overall dimensions	30m*2.6m*3m
2	Total weight	About 16 ton
3	Control system	Omron encoder PLC
4	Main motor power	Planetary cycloid reducer, 4kw, 380V, 50HZ
5	Processing speed	4~4.5 m/min, continuous stepless adjusted, variable frequency speed regulation, digital display
6	raw material	1.2 meters
7	Voltage	380V
8	Roller material	chrome plated on 45# steel forgings
9	Number of rubber shafts	27 foams, 39 rock wool
10	Total power	30 kw
11	Synchronous controller	Digital synchronous controller
12	Corrugated press motor power	Double-stage cycloid reducer 4kw, 380V, 50HZ
13	Application	roof panel, wall panel

Machine picture display



Packaging and Shipping

- 1) Tighten the container with a wire rope and weld the container to the container with natural iron.
- 2) Main forming machine and un-coiler is naked (we can also use waterproof plastic packaging if needed).
- 3) PLC control system and motor pump are packed in wooden box with water proof paper coverage.

Product link : <https://www.toprollformingmachine.com/?p=357898>