
Top Grade Trapezoidal Roof Sheet Roll Forming Machine

Our solutions are widely identified and trusted by people and might fulfill continuously transforming economic and social demands for Top Grade Trapezoidal Roof Sheet Roll Forming Machine, We Sincerely welcome consumers from all over the planet to visit us, with our multifaceted cooperation and do the job together to create new markets, make win-win amazing long run.


Our solutions are widely identified and trusted by people and might fulfill continuously transforming economic and social demands for [Trapezoidal Roof Roll Forming Machine](#), Furthermore, all of our items are manufactured with advanced equipment and strict QC procedures in order to ensure high quality. If you are interested in any of our goods, please don't hesitate to contact us. We will do our best to meet your needs.

Trapezoidal roof sheets made of trapezoidal roof panel roll forming machines have superior strength.

Roof roll forming machine parameters		
1	Main motor power	4kW, 3-phase or as your requests
2	Hydraulic motor power	3kW
3	Hydraulic pressure	10-12MPa
4	Voltage	380V/3-phase/50Hz (or as your requirements)
5	Control system	PLC delta inverter
6	Mainframe	300/350mm H-beam or 350mm
7	Backboard thickness	16mm
8	Chain size	1 Inch
9	Feeding material	color steel coils
10	Feeding thickness	0.3-0.8mm
11	Feeding width	1000mm
12	Effective width	850mm
13	Productivity	0-15/min
14	Roll station	13 roll steps (according to different design)
15	Roller diameter	70mm (depends on different design)
16	Roller material	45# steel
17	Cutter material	Cr12
18	Cr-plating size	0.05mm
19	Overall size	6800*1400*1150mm
20	Total weight	4.8 tons

If you are interested in our trapezoidal roof roll forming machine, please do not hesitate to contact us.

Machine picture display



Package and shipment details

Standard export packing: 1*40 GP container;

Main machine naked and fastened with iron wire in the container;

Rollers were painted with oil and packed with plastic film;

Electrics devices be packed with wooden box.

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <https://www.toprollformingmachine.com/?p=357972>