

---

## Color Coated Galvalume Steel Coil PPGL

Applications: Widely used in construction and structural engineering as well as in furniture and office equipment.


|              |  |
|--------------|--|
| Name         | PPGL parameters  |
| Material     | SGCC, SGCD, SECD, DX51D, DX52D, G350, G450, G550, SPCG |
| Standard     | JIS, ASTM, GB/T, AISI, DIN                             |
| Thickness    | 0.12mm~1.5mm   |
| Width        | 100mm-1250mm   |
| Zinc Coating | 40-275g/m <sup>2</sup>                                 |
| Color        | Grey white, sea blue, red or any RAL standard          |
| Coil ID      | 508mm/610mm  |
| Coil weight  | 3-6 tons or as client requirement                      |
| Painting     | Top: 10~20μm<br>Back: 5~15μm                           |

Pictures of coil



Haixing Industrial Group Co., Ltd

COLOR COATED STEEL COILS



Email: [info@haixingsteel.com](mailto:info@haixingsteel.com)

Wechat: 0086 15522419684

Package Method Of Color Coated Galvalume Steel Coil:

Vertical, Horizontal.

Standard export seaworthy package, with plastic film, paper film, anti-rust paper, steel plate, strapping, paper corner armor, guard board and lock catch.

FAQ

Q:What's your strength comparing to the other supplier?

A:We'll supplying you the best quality and service. We'll give you good advise beyond your

---

requirements. The lines are easily for installation and with low maintenance requirements.

Q:Can we be your agency abroad?

A:Surely if you have business for roll forming lines and we will welcome a lot for cooperating together.

Product link : <https://www.toprollformingmachine.com/?p=35962>