
Lowest Price for Rib Glazing Embossing Metal Roofing Panel Roll Bamboo Galvanized Sheet Equipment Making Forming Line Machine

Sticking for the perception of "Creating products of top quality and producing friends with people today from all around the world", we constantly place the desire of shoppers to start with for Lowest Price for Rib Glazing Embossing Metal Roofing Panel Roll Bamboo Galvanized Sheet Equipment Making Forming Line Machine, We'll do our greatest to satisfy your necessities and are sincerely hunting ahead to acquiring mutual advantageous company romance with you! Sticking for the perception of "Creating products of top quality and producing friends with people today from all around the world", we constantly place the desire of shoppers to start with for <u>Bamboo</u> Glazed Sheet Equipment Metal Roof Panel Roll Forming Machine, Galvanized Sheet Roofing Forming Line, Rib Glazing Embossing Roofing Sheet Making Machine, As a way to use the resource on the expanding info in international trade, we welcome prospects from everywhere on the web and offline. In spite on the high quality items we present, effective and satisfying consultation service is supplied by our qualified after-sale service group. Item lists and thorough parameters and any other info weil be sent for you timely for the inquiries. So be sure to make contact with us by sending us emails or call us when you've got any questions about our organization. ou could also get our address information from our site and come to our enterprise. We get a field survey of our merchandise. We are confident that we are going to share mutual accomplishment and create solid co-operation relations with our companions within this market place. We're seeking forward for your inquiries. Corrugated galvanized roof panel roll forming machine parameters

Main motor power	4kW/5.5KW/7.5KW or as actual demands
Hydraulic motor power	3kW/4KW.5.5KW or as actual demands
Hydraulic pressure	10-12MPa according oil pump and pump motor
Voltage	380V/ 3 phase/ 50 Hz (or as your requirements)
Control system	Automatic PLC control system
Main frame	350H beams/400H beams according machine
	demands
Wall sheet thickness	16mm/18mm/20mm/22mm according machine
	demands
Chain size	1 inch/1.2inch according machine demands
Feeding material	Galvanized steel coil/color steel coil/aluminum steel
	coil
Feeding thickness	0.3-0.8 mm
Productivity	0 - 25m/min (according machine specification)
Roll station	Common 11rolls ro 25rolls (according to different
	design)
Roller diameter	70mm/75mm/80mm (depends on different design)
Roller material	45# steel
Cutter material	Cr12MOV
Cr-plating size	0.05 mm
	Hydraulic motor power Hydraulic pressure Voltage Control system Main frame Wall sheet thickness Chain size Feeding material Feeding thickness Productivity Roll station Roller diameter Roller material Cutter material

Machine pictures



Our Advantages

- 1. Our machine motor are GERMAN BRAND SEMENS
- 2. Our roller spacer are 4 mm thick seamless steel pipe
- 3. Our output table can be adjust height according customer demands
- 4. Our PLC control console can be look around 360 degree
- 5. All easy-broken pars can be change within 14 month in free

Product link: https://www.toprollformingmachine.com/?p=365242