
100% Original Double Layer Metal Roofing Corrugated Steel Sheet Wall Panel Tile Making Roll Forming Machine

Our intention is usually to satisfy our buyers by offering golden provider, great rate and good quality for 100% Original Double Layer Metal Roofing Corrugated Steel Sheet Wall Panel Tile Making Roll Forming Machine, We follow giving integration remedies for patrons and hope to make long-term, secure, sincere and mutual beneficial interactions with clients. We sincerely sit up for your check out. Our intention is usually to satisfy our buyers by offering golden provider, great rate and good quality for [Double Layer Roll Forming Machine](#), [Roof Tile Making Machine](#), [Wall Panel Roll Forming Machine](#), We only supply quality items and we believe this is the only way to keep business continue. We can supply custom service too such as Logo, custom size, or custom merchandise etc that can according to customer's requirement.

Corrugated roof sheets made of corrugated roof panel roll forming machines are often used for architectural decoration.

Roof roll forming machine parameters		
1	Main motor power	4kW, 3-phase or as your requests
2	Hydraulic motor power	3kW
3	Hydraulic pressure	10-12MPa
4	Voltage	380V/3-phase/50Hz (or as your requirements)
5	Control system	PLC delta inverter
6	Mainframe	300/350mm H-beam or 350mm
7	Backboard thickness	16 mm
8	Chain size	1 Inch
9	Feeding material	color steel coils
10	Feeding thickness	0.3-0.8mm
11	Feeding width	1000mm
12	Effective width	850mm
13	Productivity	0-15/min
14	Roll station	13 roll steps (according to different design)
15	Roller diameter	70mm (depends on different design)
16	Roller material	45# steel
17	Cutter material	Cr12
18	Cr-plating size	0.05mm
19	Overall size	6800*1400*1150mm
20	Total weight	4.8 tons

Components:

Manual un-coiler: 1 set

Guiding platform: 1 set

Coil strip leveler: 1 set

Main machine of roll forming: 1 set

Electric-motor: 1 set

Cutting device: 1 set

Hydraulic station: 1 set

PLC control: 1 set

Supporter table: 1 set

Machine picture display



Packaging Details :

1. machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <https://www.toprollformingmachine.com/?p=365819>