

---


# 100% Original Factory Standing Seam Metal Roof Panel Steel Sheet Roll Forming Machine

Reliable quality and good credit standing are our principles, which will help us at a top-ranking position. Adhering to the tenet of "quality first, customer supreme" for 100% Original Factory Standing Seam Metal Roof Panel Steel Sheet Roll Forming Machine, Inside our initiatives, we already have a lot of shops in China and our solutions have won praise from buyers all over the world. Welcome new and outdated buyers to contact us to the long run long lasting business relationships. Reliable quality and good credit standing are our principles, which will help us at a top-ranking position. Adhering to the tenet of "quality first, customer supreme" for [Standing Seam Metal Roof Machine](#), [Standing Seam Roof Panel Roll Forming Machine](#), [Steel Sheet Roll Forming Machine](#), To keep the leading position in our industry, we never stop challenging the limitation in all aspects to create the ideal products and solutions. In his way, We can enrich our life style and promote a better living environment for the global community.

Aluminum trapezoidal roof making machine can uses galvanized steel sheet, colored armor plate or aluminum plate as the material plate.

Aluminum Trapezoidal Roof Making Machine Parameters		
1	Main motor power	4kW, 3-phase or as your requests
2	Hydraulic motor power	3kW
3	Hydraulic pressure	10-12MPa
4	Voltage	380V/3-phase/50Hz (or as your requirements)
5	Control system	PLC delta inverter
6	Mainframe	300/350mm H-beam or 350mm
7	Backboard thickness	16mm
8	Chain size	1 Inch
9	Feeding material	color steel coils
10	Feeding thickness	0.3-0.8mm
11	Feeding width	1000mm
12	Effective width	850mm
13	Productivity	0-15/min
14	Roll station	13 roll steps (according to different design)
15	Roller diameter	70mm (depends on different design)
16	Roller material	45# steel
17	Cutter material	Cr12
18	Cr-plating size	0.05mm
19	Overall size	6800*1400*1150mm
20	Total weight	4.8 tons

Detail of machine:



---

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <https://www.toprollformingmachine.com/?p=366735>