
Factory supplied Frame And Structure Roof Forming Machine/standing Seam Roll Forming Machine

We support our customers with ideal premium quality products and solutions and superior level assistance. Becoming the specialist manufacturer in this sector, now we have received rich practical experience in producing and managing for Factory supplied Frame And Structure Roof Forming Machine/standing Seam Roll Forming Machine, sincerity and strength ,constantly preserve approved superior quanlity ,welcome to our factoty for pay a visit to and instruction and organization. We support our customers with ideal premium quality products and solutions and superior level assistance. Becoming the specialist manufacturer in this sector, now we have received rich practical experience in producing and managing for [Roof Tile Forming Machine](#), [Standing Seam Machine](#), [Trapezoidal Steel Roof Machine](#), All the employees in factory, store, and office are struggling for one common goal to provide better quality and service. Real business is to get win-win situation. We would like to provide more support for customers. Welcome all nice buyers to communicate details of our products with us!

The standing seam metal roof machine adopts PLC control, AC frequency and adjusting the speed technology, and it realizes the continuous automatically production.

Parameters of standing seam metal roof machine:

1	Thickness	0.3-0.8mm
2	Coli material	GI
3	The bearing capacity of manual decoiler	6.5 tons
4	shaft material	45#steel
5	Out diameter	Customized
6	numbers of forming steps	Customized
7	transmission	chain transmission
8	Forming speed	8-12m/min
9	main motor power	3kw
10	voltage	380V50HZ Three-phase or as required
11	dimension	7*1.3*1.3
12	cutting	hydraulic cutting
13	blade material	Cr12 steel with quenched treated 60°C-62°C
14	control system	PLC(Delta)
15	length tolerance	±1mm

Machine photos:



Terms:

1. Delivery: within 60 days after receiving the deposit
2. Package: export standard package for container
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <https://www.toprollformingmachine.com/?p=38199>