
OEM/ODM China Latest Technology Roof Making Machine Color Roll Forming Corrugated Steel Iron Crimping Double Layers Flat Sheet Tile Machine

"Control the standard by the details, show the energy by quality". Our corporation has strived to establish a hugely efficient and stable workers team and explored an effective high quality control procedure for OEM/ODM China Latest Technology Roof Making Machine Color Roll Forming Corrugated Steel Iron Crimping Double Layers Flat Sheet Tile Machine, President of our firm, with whole staff, welcomes all consumers to visit our organization and inspect. Allow us to cooperate hand in hand to generate a superior long run.

"Control the standard by the details, show the energy by quality". Our corporation has strived to establish a hugely efficient and stable workers team and explored an effective high quality control procedure for [Corrugated Color Steel Roll Forming Machine](#) [Corrugated Steel Crimping Machine](#) [Sheets Tile Making Machine](#), [Double Layers Flat Sheet Corrugated Roll Forming Machine](#), [Roof Machine Corrugated Iron Sheet Machine](#), We warmly welcome domestic and overseas customers to visit our company and have business talk. Our company always insists on the principle of "good quality, reasonable price, the first-class service". We are willing to build long-term, friendly and mutually beneficial cooperation with you.


Parameters of steel double layer roll forming machine

1	Main motor power	4kW, 3-phase or as your requests
2	Hydraulic motor power	3kW
3	Hydraulic pressure	10-12MPa
4	Voltage	380V/3-phase/50Hz (or as your requirements)
5	Control system	PLC delta inverter
6	Mainframe	300/350mm H-beam or 350mm
7	Backboard thickness	16mm
8	Chain size	1 Inch
9	Feeding material	color steel coils
10	Feeding thickness	0.3-0.8mm
11	Feeding width	1000mm
12	Effective width	840mm, 850mm
13	Productivity	0-15/min
14	Roll station	13 roll steps (according to different design)
15	Roller diameter	70mm (depends on different design)
16	Roller material	45# steel
17	Cutter material	Cr12
18	Cr-plating size	0.05mm
19	Overall size	6800*1400*1150mm
20	Total weight	4.8 tons

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

We are committed to research and develop this industry for more than 20 years, and our productions are widely used in gardens, factories, resorts, hotels, exhibition halls, vacation lands, ancient architectures and modern villas.



Product link : <https://www.toprollformingmachine.com/?p=42167>