

---

# Original Factory Metal Lock Roof Standing Seam Curving Machine

We will constantly satisfy our respected customers with our good excellent, superior value and superior assistance due to we're additional experienced and far more hard-working and do it in cost-effective way for Original Factory Metal Lock Roof Standing Seam Curving Machine, With a wide range, top quality, sensible charges and stylish designs, Our items are widely recognized and dependable by users and can fulfill continuously changing economic and social needs.

We will constantly satisfy our respected customers with our good excellent, superior value and superior assistance due to we're additional experienced and far more hard-working and do it in cost-effective way for [Standing Seam Metal Bemo Roof Roll Forming Machine](#), [Standing Seam Metal Roof Machine](#), As an experienced manufacturer we also accept customized order and we could make it the same as your picture or sample specification. The main goal of our company is to live a satisfactory memory to all the customers, and establish a long term business relationship with buyers and users all over the world.

Standing seam metal roof machine is the special equipment for continuous rolling and cold forming on steel sheet.

standing seam metal roof machine parameters		
1	Thickness	0.3-0.8mm
2	Coli material	GI
3	The bearing capacity of manual decoiler	6.5 tons
4	shaft material	45#steel
5	Out diameter	Customized
6	numbers of forming steps	Customized
7	transmission	chain transmission
8	Forming speed	8-12m/min
9	main motor power	3kw
10	voltage	380V50HZ Three-phase or as required
11	dimension	7*1.3*1.3
12	cutting	hydraulic cutting
13	blade material	Cr12 steel with quenched treated 60°C-62°C
14	control system	PLC(Delta)
15	length tolerance	±1mm

Machine photos:



---

Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Product link : <https://www.toprollformingmachine.com/?p=43873>