
Factory Price 3 Rollers Profile Angle Rolling Bending Machine

Top quality comes first; services is foremost; organization is cooperation" is our small business philosophy which is regularly observed and pursued by our company for Factory Price 3 Rollers Profile Angle Rolling Bending Machine, We glance ahead to receiving your enquires quickly and hope to have the chance to operate together with you inside the future. Welcome to just take a seem at our organization.

Top quality comes first; services is foremost; organization is cooperation" is our small business philosophy which is regularly observed and pursued by our company for [3 Rollers Profile Bending Machine](#), [Angle Rolling Bending Machine](#), [Profile Bending Machine](#), We warmly welcome your patronage and will serve our clients both at home and abroad with goods of superior quality and excellent service geared to the trend of further development as always. We believe you will benefit from our professionalism soon.

Functions and Characteristics

1. Steel- welded construction, standard upper and lower dies,vibration to eliminate inner stress,hydraulic transmission system,foot pedal with emergency stop.with high strength and good rigidity.
- 2.Hydraulic top-drive, steadiness and reliability. Mechanical stop, steel torsion bar to maintain synchronization, with high precision.
- 3.Motorized-adjusting device for back gauge and ram's stroke, DRO for back gauge and ram stroke.
- 4.Deflection compensation unit installed under the worktable.
- 5.Manual crowned lower die holder is adopted for the machine above 250 tons.
- 6.DRO to display the values of back gauge and ram stroke.

Sheet metal bending machine parameters		
1	Cutting &Hydraulic type	Double guide pillar
2	Hydraulic motor power	3kw
3	Hydraulic Pressure	10-12MPa
4	Voltage	380V/3phase/50 HZ(or as your requirement)
5	Cutting drive	Decelerating motor+ Chain drive gear all by high-frequency
6	Control System	Panasonic PLC
8	Bending degree	0-90
9	Operating mode	Button+ Mitsubishi
10	Main Frame	300mm/350mm H-Beam or 350mm
11	Backboard Thickness	17mm
12	Feeding Material	GI/PPGI/PPGL
14	Feeding Thickness	0.2-0.8mm
15	Feeding Width	1-4m
16	Effective width	1-4mm
17	Productivity	0-60times/min
20	Roller material	45# steel
21	Cutter material	Cr12 mould steel heat-treated hardness of HRC = 60-62

		degrees
22	Brand Square	A3 35mm thick plate arch
22	Cr-Plating Size	0.05mm
23	Overall Size	4300*1200*2100mm
24	Total Weight	1.8T

Machine photos





Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Service:

- a. 18 months guarantee for the whole machine.
- b. 24 hours technical support by email or calling
- c. If there is any problem found of the machine, we will repair it for free in one year.

Product link : <https://www.toprollformingmachine.com/?p=49871>