High Quality for Glazed Tile Steel House Roof Double Layer Roll Forming Making Machine

We can normally fulfill our respected consumers with our great excellent, great value and good provider due to we're much more specialist and extra hard-working and do it in cost-effective way for High Quality for Glazed Tile Steel House Roof Double Layer Roll Forming Making Machine, Never-ending improvement and striving for 0% deficiency are our two main quality policies. Should you need anything, never hesitate to get in touch with us.

We can normally fulfill our respected consumers with our great excellent, great value and good provider due to we're much more specialist and extra hard-working and do it in cost-effective way for Glazed Tile House Roof Double Layer Roll Forming Making Machine, Roll Forming Machine, Steel House Roof Double Layer Roll Forming Making Machine, We always insist on the principle of "Quality and service are the life of the product". Till now, our goods have been exported to more than 20 countries under our strict quality control and high level service.

Our company has a professional foreign trade and design team. Various roll forming machines can be made. You only need to contact us.

| Double Layer Metal Tile Making Machine parameters | | | | | |
|---|-------------------------|---|--|--|--|
| Double Layer Metal Tile Making Machine parameters | | | | | |
| 1 | Main motor power | 4kW, 3-phase or as your requests | | | |
| 2 | Hydraulic motor power | 3kW | | | |
| 3 | Hydraulic pressure | 10-12MPa | | | |
| 4 | Voltage | 380V/3-phase/50Hz (or as your requirements) | | | |
| 5 | Control system | PLC delta inverter | | | |
| 6 | Mainframe | 300/350mm H-beam or 350mm | | | |
| 7 | Backboard thickness | 16mm | | | |
| 8 | Chain size | 1 Inch | | | |
| 9 | Feeding material | color steel coils | | | |
| 10 | Feeding thickness | 0.3-0.8mm | | | |
| 11 | Feeding width | 1000mm | | | |
| 12 | Effective width | 840mm, 850mm | | | |
| 13 | Productivity | 0-15/min | | | |
| 14 | Roll station | 13 roll steps (according to different design) | | | |
| 15 | Roller diameter | 70mm (depends on different design) | | | |
| 16 | Roller material | 45# steel | | | |
| 17 | Cutter material | Cr12 | | | |
| 18 | Cr-plating size | 0.05mm | | | |
| 19 | Overall size | 6800*1400*1150mm | | | |
| 20 | Total weight | 4.8 tons | | | |
| N 4 = = l= : := | Anchino nieturo dienlay | | | | |

Machine picture display

Components of Double Layer Metal Tile Making Machine

| No. | Name | Unit | Quantity |
|-----|------------------------|------|----------|
| 1 | Manual decoiler | Set | 1 |
| 2 | Main forming machine | Set | 1 |
| 3 | PLC control system | Set | 1 |
| 4 | Hydraulic pump station | Set | 1 |
| 5 | Post cut | Set | 1 |
| 6 | Electric motor | Set | 1 |
| | | | |



Product link: https://www.toprollformingmachine.com/?p=52782