
Supply OEM 300,600,1200,1800,2400mm Length Acrylic Sheet Bending Machine

By using a sound small business credit, excellent after-sales provider and modern producing facilities, now we have earned an exceptional track record between our clients across the whole world for Supply OEM 300,600,1200,1800,2400mm Length Acrylic Sheet Bending Machine, With the advancement of society and economy, our enterprise will continue to keep a tenet of "Focus on trust, high quality the first", moreover, we expect to produce a wonderful future with each customer. By using a sound small business credit, excellent after-sales provider and modern producing facilities, now we have earned an exceptional track record between our clients across the whole world for [1200mm Acrylic Plastic Bending Heater](#), [1800mm Acrylic Bending Heater](#), [Acrylic Sheet Bending Machine](#), Our products are widely recognized and trusted by users and can meet continuously changing of economic and social needs. We welcome new and old customers from all walks of life to contact us for future business relationships and mutual success!

4 meters hydraulic roof sheet bending machine parameters		
1	Cutting &Hydraulic type	Double guide pillar
2	Hydraulic motor power	3kw
3	Hydraulic Pressure	10-12MPa
4	Voltage	380V/3phase/50 HZ(or as your requirement)
5	Cutting drive	Decelerating motor+ Chain drive gear all by high-frequency
6	Control System	Panasonic PLC
8	Bending degree	0-90
9	Operating mode	Button+ Mitsubishi
10	Main Frame	300mm/350mm H-Beam or 350mm
11	Backboard Thickness	17mm
12	Feeding Material	GI/PPGI/PPGL
14	Feeding Thickness	0.2-0.8mm
15	Feeding Width	1-4m
16	Effective width	1-4mm
17	Productivity	0-60times/min
20	Roller material	45# steel
21	Cutter material	Cr12 mould steel heat-treated hardness of HRC = 60-62 degrees
22	Brand Square	A3 35mm thick plate arch
22	Cr-Plating Size	0.05mm
23	Overall Size	4300*1200*2100mm
24	Total Weight	1.8T

Machine photos



Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Product link : <https://www.toprollformingmachine.com/?p=64478>