
Factory Free sample Standard Customized Roll Shutter Door Forming Machine With

All we do is usually affiliated with our tenet " Buyer to start with, Belief to start with, devoting about the food packaging and environmental defense for Factory Free sample Standard Customized Roll Shutter Door Forming Machine With, We sincerely do our best to offer the best service for all the clients and businessmen.

All we do is usually affiliated with our tenet " Buyer to start with, Belief to start with", devoting about the packaging and environmental defense for [Roll Forming Machine](#), [Roll Shutter Door Forming Machine](#), [Shutter Door Roll Forming Machine](#), Our pro engineering team will generally be prepared to serve you for consultation and feedback. We're able to also offer you-you with free of charge samples to meet your requirements. Best efforts will likely be produced to supply you the best service and merchandise. When you are keen on our business and products and solutions, please speak to us by sending us emails or call us quickly. In an effort to know our solutions and company extra, you may come to our factory to view it. We are going to generally welcome guests from all over the world to our business to create business relations with us. Make sure you feel cost-free to speak to us for small business and we believe we will share the best trading experience with all our merchants.

Machine parameters

Roller shutter door roll forming machine		
1	Materials specification	Aluminum, galvalume, galvanized and pre-painted galvanized steel.
2	Thickness	0.5mm to 1.0mm.
3	Main motor power	4.5kw.
4	Hydraulic station power	3kw.
5	Feeding width	Depends on the model of profile.
6	Yield stress	235Mpa(33KSI) ~ 350Mpa
7	Roll forming speed	12-15 m/minute.
8	Cutting tolerance	+/-2.5mm(length ≤ 5000mm); +/-3.0mm(5000mm)
9	Manual uncoiled	Max. Capacity: 3000kgsManual decoiler
10	Coil inner diameter	508mm/610mm
11	Voltage	380v/50hz/3 phase
12	Numbers of stands	12 stands/stations/pairs for each roll forming system
13	Roller material	High grade No.45 forged steel, coated with hard chrome.
14	Active shaft material	High grade No.45 carbon wrought steel, which can improve the integrated mechanic feature of the shaft.
15	Electric elements	PLC control panel, transducer imported from Mitsubishi of Japan.Other elements are from famous suppliers of China.
16	Cutter blades	Cr12 mold steel with quenched treatment.

Machine picture display



Packaging Details :

1. Machine is covered by plastic film.
2. PLC control box, spare parts and other small parts are packed by wooden carton box.

Terms:

1. Delivery: within 60 days after receiving the deposit.
2. Package: export standard package for container.
3. Payment: TT (30% by TT in advance, 70% by TT after inspect the machine before delivery).

Sales service:

1. We provide the technical support for whole life of our machines.
2. If buyers need the technician to go abroad , we will arrange the technician, but the buyers should take all the cost , including visa, round trip ticket etc.

Product link : <https://www.toprollformingmachine.com/?p=99876>