
Short Lead Time for Glazed Tile Arch Curving Roofing Forming Machinery

No matter new customer or old customer, We believe in long term and trusted relationship for Short Lead Time for Glazed Tile Arch Curving Roofing Forming Machinery, Competitive value with top quality and satisfying company make us earned extra shoppers. we wish to work with you and request common development.

No matter new customer or old customer, We believe in long term and trusted relationship for [Best Glazed Tile Arch Curving Roofing Forming Machinery](#), [Glazed Tile Arch Curving Roofing Forming Machinery](#), With a state-of-the-art comprehensive marketing feedback system and 300 skilled workers' hard work, our company has developed all kinds of products ranging from high class, medium class to low class. This whole selection of fine products offers our customers different choices. Besides, our company sticks to high quality and reasonable price, and we also offer good OEM services to many famous brands.

Application of Curved Roof Panel Roll Forming Machine

For architecture: making roof panel, wall panel, ceiling panel, etc.

For Industry: making refrigerating room panel, automobile panel, electric appliance housing, etc.

Curved Roof Panel Roll Forming Machine parameters		
1	Main motor power	5.5kw, 3 phase or as your request
2	Hydraulic motor power	4kw
3	Hydraulic Pressure	10-12MPa
4	Voltage	380V /3phase/ 50 HZ (or as your requirement)
5	Control System	PLC Delta Inverter
6	Main Frame	300mm/350mm H-Beam or 350mm
7	Backboard Thickness	16mm
8	Chain Size	1 Inch
9	Feeding Material	color steel coils
10	Feeding Thickness	0.3-0.8mm
11	Feeding Width	100-1200mm
12	Effective width	840-1050mm
13	Productivity	0-15/min
14	Roll Station	13 roll steps(according to different design)
15	Roller Diameter	70mm(depend on different design)
16	Roller material	45# steel
17	Cutter material	Cr12
18	Cr-Plating Size	0.05mm
19	Overall Size	6800*1400*1150mm
20	Total Weight	5.8T

Machine Photos :



Package and shipment details:

1. Main roll forming machine package by plastic film
2. Main machine spare parts package by paper box
3. We have a professional technician load to ensure that the goods are loaded into the container without any damage.
4. Transportation: machines need one 20 feet container to hold.
5. Please provide us the nearest port name, we will ask shipping cost and arrange shipping for you.

Product link : <https://www.toprollformingmachine.com/?p=99901>